

**Provider Inspection Summary**

For the period 06/01/2003 to 05/31/2006  
Community Based Residential Facility  
CLASS CNA (NONAMBULATORY)

STATE OF WISCONSIN  
Bureau of Quality Assurance  
P.O. Box 2969  
Madison WI 53701-2969

**Facility Information**

**Facility Name:** PARKSIDE HEIGHTS (110193)  
**Address:** 6805 CENTURY AVE, MIDDLETON, WI 53562  
**License Status:** REGULAR  
**Licensed/Certified/Registered** 08/31/1997  
**Regional Office:** SOUTHERN REGION (MADISON), (608) 243-2370

**Survey History**

**Survey ID:** 0094573      **End Date:** 04/04/2005      **Type:** STANDARD      **Purpose:** SURVEY

**Results:** STATEMENT OF DEFICIENCY ISSUED

**Statement of Deficiency:** #10008201    Served 04/19/2005

Deficiencies Cited  
83.43(3)(b)2

Subject Area  
TESTING OF SMOKE DETECTORS

Compliance  
Verified

Corrected

*Disclaimer: This information is provided as a public service by the Wisconsin Department of Health and Family Services (DHFS). The Department neither endorses any facility nor guarantees that this information is accurate, up-to-date, or complete. This information, which should not be used as a sole source in selecting a facility, does not replace official information sources.*